

TAMILNADU MEDICAL SERVICES CORPORATION LTD.,

**TENDER FOR SUPPLY AND INSTALLATION OF HORIZONTAL WASHING
MACHINE, HYDRO EXTRACTOR MACHINE NON CO-AXIAL TYPE, CALENDARING
MACHINE AND TUMBLE DRYING MACHINE TO DEPT. OF STEAM LAUNDRY,
GOVT. MAHATMA GANDHI MEMORIAL HOSPITAL, TRICHY
TENDER NO.141/LAUNDRY/DME-TRY/TNMSC/ENGG/2017, DT.22.05.2017**

Corrigendum

a) The following corrigendum are issued:-

Sl. No.	Tender Document Reference	Instead of	Read as
1.	Page No.54 Section VI: Technical Specification 1. Specification for Horizontal Washing Machine	Existing Text	Revised Text at Annexure - I
2.	Page No.54 Section VI: Technical Specification 2. Specification for Hydro Extractor Machine Co-Axial Type	11. Drain valves & water inlets with level gauges. 12. Heavy duty automatic drain valve used for quick flushing of filling of water in to the basket. 13. Glass tube level gauge with calibrated level indicator provided. 14. Automatic digital temperature controllers with solenoid valves all wetted parts are 304-stainless steel.	Deleted.
3.	Page No.54 Section VI: Technical Specification 3. Specification for Calendaring Type (Flat	2. Steam heating; variable speed drive with soft-start	2. Single roller and electrical heating 12Kw to 18Kw.

Sl. No.	Tender Document Reference	Instead of	Read as
	Work Dying Ironing Machine – Multi roller Capacity 30 KG)		
4.	Page No.55 Section VI: Technical Specification 3. Specification for Calendaring Type (Flat Work Dying Ironing Machine – Multi roller Capacity 30 KG)		Add the following point at end of the technical specification:- 12. The roller dimension is 450mm-500mm x 2000 to 2200 mm size. The roller is single. 13. The compressor should be supplied with the machine.
5.	Page No.55 Section VI: Technical Specification 4. Specification for Tumble Drying Machine	7. The inner basket is doubly insulated with the mineral wool special radiator/heat exchanger system.	7. The outer body is doubly insulated with the mineral wool special radiator/heat exchanger system.

The Following due dates are extended:

Sale of bidding document : up to 07.08.2017
Last Date and time for receipt of bid : 08.08.2017 at 03.00 PM
Time and date of opening of bids : 08.08.2017 at 04.00 PM

All other terms and conditions of the tender remain unaltered.

The above forms part of the bidding documents. The bidder shall attach the copy of this corrigendum duly signed by their authorized signatory, in their bid.

Sd/-
General Manager (E)

1. SPECIFICATION FOR HORIZONTAL WASHING MACHINE - REVISED

1. Micro Processor controlled
2. Capacity 30 Kg.
3. 1500mm length x 1400mm diameter x 1200mm height
4. Basket size 700-800mmx900mm
5. **Electrical Heating Mode (12 to 18 kilo watts heating coil capacity)**
6. Motor: 2 HP
7. Construction: Full Stainless steel 304 grade 16G
8. Basket & outer drum Fabricated out of 304/3 16 stainless steel plates, sheets, total argon welding, single joint drum, no visible joint in basket.
9. Drain valves & water inlets with level gauges.
10. Heavy duty automatic drain valve used for quick flushing of filling of water in to the basket.
11. Glass tube level gauge with calibrated level indicator provided.
12. Automatic digital temperature controllers with solenoid valves all wetted parts are 304-stainless steel.