

**TamilNadu Medical Services Corporation Limited, Chennai – 600008**

**Tender for the Supply of Suture Consumables to TNMSC Ltd., under rate contract system for two years from the date of acceptance**

**Tender Ref. No. 004/M(P)/SUTURE/TNMSC/2019, Dated.21.02.2019**

**Corrigendum - II**

The following amendment is in the **Annexure-IX and Annexure-XIX** of the tender document referred above are issued:

<b>Sl. No</b>	<b>Code No.</b>	<b>Name of the Product and Specification</b>	<b>Change Effected</b>
1	S2	B.B Silk 6 Reels X 25m	B.B Silk 6 Reels X 25m - 2/0 Minimum Length - 25m
2	S3	B.B Silk 6 Reels X 25m	B.B Silk 6 Reels X 25m - 1/0 Minimum Length - 25m
3	S5	B.B Silk (1/2 Cir RB Needle 25mm)	B.B Silk (1/2 Circle RB Needle 25mm) - 3/0 Minimum Length - 75cm
4	S8	B.B Silk (1/2 Cir RB Needle 20mm)	B.B Silk (1/2 Circle RB Needle 20mm) - 3/0 Minimum Length - 75cm
5	S9	B.B Silk (1/2 Cir RB Needle 30mm)	B.B Silk (1/2 Circle RB Needle 30mm) - 2/0 Minimum Length - 75cm
6	S10	B.B Silk (1/2 Cir RB Needle 30mm)	B.B Silk (1/2 Circle RB Needle 30mm) - 1/0 Minimum Length - 75cm
7	S14	B.B Silk (CD Cut Needle 16mm)	B.B Silk (CD Cut Needle 16mm) - 4/0 Minimum Length - 75cm
8	S15	B.B Silk (CD Cut Needle 16mm)	B.B Silk (CD Cut Needle 16mm) - 3/0 Minimum Length - 75cm
9	S30	Catgut Plain	Catgut Plain - 1/0 Minimum Length - 150cm

<b>Sl. No</b>	<b>Code No.</b>	<b>Name of the Product and Specification</b>	<b>Change Effected</b>
10	S34	Catgut Chromic	Catgut Chromic - 2/0 Minimum Length - 150cm
11	S35	Catgut Chromic	Catgut Chromic - 1/0 Minimum Length - 150cm
12	S36	Catgut Chromic	Catgut Chromic - 1 Minimum Length - 150cm
13	S37	Catgut Chromic	Catgut Chromic - 2 Minimum Length - 150cm
14	S40	Chromic (CD RB Needle 40mm)	Chromic (CD RB Needle 40mm) - 1/0 Minimum Length - 75cm
15	S41	Chromic (1/2 Cir RB Needle 20mm)	Chromic (1/2 Circle RB Needle 20mm) - 3/0 Minimum Length - 75cm
16	S42	Chromic (1/2 Cir RB Needle 30mm)	Chromic (1/2 Circle RB Needle 30mm) - 2/0 Minimum Length - 75cm
17	S43	Chromic (1/2 Cir RB Needle 30mm)	Chromic (1/2 Circle RB Needle 30mm) - 1/0 Minimum Length - 75cm
18	S46	Chromic (1/2 Cir RB Needle 40mm)	Chromic (1/2 Circle RB Needle 40mm) - 1/0 Minimum Length - 75cm
19	S49	Chromic (CD RB Needle 30mm)	Chromic (CD RB Needle 30mm) - 2/0 Minimum Length - 75cm
20	S53	Chromic (CD Cut Needle 16mm)	Chromic (CD Cut Needle 16mm) - 4/0 Minimum Length - 75cm
21	S58	Chromic (ST RB Needle 60mm)	Chromic (ST RB Needle 60mm) - 2/0 Minimum Length - 75cm
22	S67	Coated Polyester Braided (1/2 Cir. RB D Needle 25mm)	Coated Polyester Braided (1/2 Circle RB D Needle 25mm) - 3/0 Minimum Length - 90cm

<b>Sl. No</b>	<b>Code No.</b>	<b>Name of the Product and Specification</b>	<b>Change Effected</b>
23	S70	Coated Polyster Braided (1/2 Cir RB Needle 25mm)	Coated Polyster Braided (1/2 Circle RB Needle 25mm) - 3/0 Minimum Length - 75cm
24	S73	Polyamide Black Mono Filament	Polyamide Black Mono Filament - 8/0 Minimum Length - 38cm
25	S77	Polyamide (CD Cut Needle 16mm)	Polyamide (CD Cut Needle 16mm) - 4/0 Minimum Length - 70cm
26	S78	Polyamide (CD Cut Needle 16mm)	Polyamide (CD Cut Needle 16mm) - 3/0 Minimum Length - 70cm
27	S82	Polyamide (CD R.Cut Extra Penetrating Needle 16mm).	Polyamide (CD R.Cut Extra Penetrating Needle 16mm) - 4/0 Minimum Length - 70cm
28	S84	Polyamide (CD Reverse Cut Needle 12mm)	Polyamide (CD Reverse Cut Needle 12mm) - 5/0 Minimum Length - 70cm
29	S85	Polyamide (1/2 Cir RB Needle 40mm)	Polyamide (1/2 Circle RB Needle 40mm) - 1/0 Minimum Length - 100cm
30	S90	1/2 Cir CCS Cut Needle 48mm Stainless Steel	1/2 Circle CCS Cut Needle 48mm Stainless Steel - 4 Minimum Length - 45cm x 4
31	S91	1/2 Cir CCS Cut Needle 48mm Stainless Steel	1/2 Circle CCS Cut Needle 48mm Stainless Steel - 6 Minimum Length - 45cm x 4
32	S92	Poly Propylene 1/2 Cir RB D Needle 13mm(320m)	Poly Propylene 1/2 Circle RB D Needle 13mm (320m) - 5/0 Minimum Length - 70cm
33	S95	Poly Propylene Black CD RB Micro Point Needle 13mm	Poly Propylene Black CD RB Micro Point Needle 13mm - 5/0 Minimum Length - 60cm
34	S96	Poly Propylene CC Contrast needle Double Needle 9mm	Poly Propylene CC Contrast Needle Double Needle 9mm - 7/0 Minimum Length - 60cm

<b>Sl. No</b>	<b>Code No.</b>	<b>Name of the Product and Specification</b>	<b>Change Effected</b>
35	S97	Poly Propylene (CD RB D Needle 10mm)	Poly Propylene (CD RB D Needle 10mm) - 6/0 Minimum Length - 60cm
36	S98	Poly Propylene (CD RB D Needle 8mm)	Poly Propylene (CD RB D Needle 8mm) - 7/0 Minimum Length - 60cm
37	S99	Poly Propylene (CD RB Needle 16mm)	Poly Propylene (CD RB Needle 16mm) - 5/0 Minimum Length - 70cm
38	S101	Poly Propylene (1/2 Cir RB Needle 30mm)	Poly Propylene (1/2 Circle RB Needle 30mm) - 1/0 Minimum Length - 70cm
39	S102	Poly Propylene(1/2 Cir RB Needle 40mm)	Poly Propylene (1/2 Circle RB Needle 40mm) - 1 Minimum Length - 70cm
40	S103	Poly Propylene(1/2 Cir RB D Needle 16mm)	Poly Propylene (1/2 Circle RB D Needle 16mm) - 5/0 Minimum Length - 70cm
41	S104	Poly Propylene (1/2 Cir RB D Needle 16mm)	Poly Propylene (1/2 Circle RB D Needle 16mm) - 4/0 Minimum Length - 70cm
42	S105	Poly Propylene (1/2 Cir RB D Needle 25mm)	Poly Propylene (1/2 Circle RB D Needle 25mm) - 3/0 Minimum Length - 70cm
43	S106	Poly Propylene (1/2 Cir RB Needle 30mm)	Poly Propylene (1/2 Cir RB Needle 30mm) - 2/0 Minimum Length - 70cm
44	S109	Poly Propylene (1/2 Cir Tapercut DN 17mm)	Poly Propylene (1/2 Circle Tapercut DN 17mm) - 3/0 Minimum Length - 90cm
45	S110	Poly Propylene (1/2 Cir Tapercut DN 25mm)	Poly Propylene (1/2 Circle Tapercut DN 25mm) - 2/0 Minimum Length - 90cm
46	S111	Poly Propylene (3/8 Circle Reverse Cutting Needle 12mm)	Poly Propylene (3/8 Circle Reverse Cutting Needle 12mm)-6/0 Minimum Length - 45cm

<b>Sl. No</b>	<b>Code No.</b>	<b>Name of the Product and Specification</b>	<b>Change Effected</b>
47	S112	Poly Propylene (CD Round Body) D.Needle 13mm (282micron)	Poly Propylene (CD Round Body) D Needle 13mm - 6/0 Minimum Length - 60cm
48	S116	Poly Propylene (3/8 circle cutting needle 16mm)	Poly Propylene (3/8 Circle Cutting Needle 16mm) - 4/0 Minimum Length - 70cm
49	S117	Poly Propylene with 3/8 circle Cutting Needle 25mm	Poly Propylene (3/8 Circle Cutting Needle 25mm) - 3/0 Minimum Length - 70cm
50	S118	Poly Propylene 1/2 Circle RB Heavy 30mm	Poly Propylene (1/2 Circle RB Heavy 30mm) - 1 Minimum Length - 70cm
51	S132	Synthetic Absorbable Suture 1/2 Cir RB Needle 20mm	Synthetic Absorbable Suture 1/2 Circle RB Needle 20mm - 3/0 Minimum Length - 70cm
52	S133	Synthetic Absorbable Suture 1/2 Cir RB Needle 30mm	Synthetic Absorbable Suture 1/2 Circle RB Needle 30mm - 2/0 Minimum Length - 90cm
53	S134	Synthetic Absorbable Suture 1/2 Cir RB Needle 30mm	Synthetic Absorbable Suture 1/2 Circle RB Needle 30mm - 1/0 Minimum Length - 90cm
54	S135	Synthetic Absorbable Suture 1/2 Cir Tapercut Needle (H) 40mm	Synthetic Absorbable Suture 1/2 Circle Tapercut Needle (H) 40mm - 1 Minimum Length - 90cm
55	S139	Synthetic Absorbable Suture 1/2 Cir RB Needle 40mm	Synthetic Absorbable Suture 1/2 Circle RB Needle 40mm - 1 Minimum Length - 90cm
56	S140	Synthetic Absorbable Suture (1/2 Cir Tapercut 36mm)	Synthetic Absorbable Suture 1/2 Circle Taprcut 36mm - 3/0 Minimum Length - 70cm
57	S141	Synthetic Absorbable Suture (1/2 Cir RB Needle 20mm)	Synthetic Absorbable Suture 1/2 Circle RB Needle 20mm - 4/0 Minimum Length - 70cm

<b>Sl. No</b>	<b>Code No.</b>	<b>Name of the Product and Specification</b>	<b>Change Effected</b>
58	S143	Synthetic Absorbable Suture (1/2 Cir RB Needle 40mm)	Synthetic Absorbable Suture 1/2 Circle RB Needle 40mm - 2/0 Minimum Length - 90cm
59	S144	Synthetic Absorbable Suture (1/2 Cir RB Needle 40mm)	Synthetic Absorbable Suture 1/2 Circle RB Needle 40mm - 1/0 Minimum Length - 90cm
60	S145	Umbilical Cotton Tape	Umbilical Cotton Tape Minimum Length - 75cm
61	S151	B.B Silk 6 Reels X 25m	B.B Silk 6 Reels X 25m - 3/0 Minimum Length - 25m
62	S168	Synthetic Absorbable Suture 3/8 Circle Cutting Needle 22mm	Synthetic Absorbable Suture 3/8 Circle Cutting Needle 22mm - 3/0 Minimum Length - 45cm
63	S170	Polypropylene With 45mm ½ Circle Reverse Cutting Needle	Polypropylene (1/2 Circle Reverse Cutting Needle - 45mm) - 1 Minimum Length - 100cm
64	S176	Chromic With CD Cutting Needle 12mm	Chromic with CD Cutting Needle 12mm - 3/0 Minimum Length - 70cm
65	S178	Synthetic Absorbable Suture With SP MP Double Needle 8mm	Synthetic Absorbable Suture with SP MP Double Needle 8mm - 6/0 Minimum Length - 45cm
66	S180	Coated Polyster Braided with CD White D Needle 25mm (Curved reverse cutting or curved round body or taper cut)	Coated Polyster Braided with CD White D Needle 25mm (Curved Reverse Cutting or Curved Round Body or Tapercut) - 2/0 Minimum Length - 90cm
67	S181	Coated Polyster Braided with CD Green Needle 17mm (Curved reverse cutting or curved round body or taper cut)	Coated Polyster Braided with CD Green Needle 17mm (Curved Reverse Cutting or Curved Round Body or Tapercut) - 2/0 Minimum Length - 90cm
68	S182	Coated Polyster Braided with CD white D Needle 17mm (Curved reverse cutting or curved round body or taper cut)	Coated Polyster Braided with CD White D Needle 17mm (Curved Reverse Cutting or Curved Round Body or Tapercut) - 2/0 Minimum Length - 90cm

<b>Sl. No</b>	<b>Code No.</b>	<b>Name of the Product and Specification</b>	<b>Change Effected</b>
69	S208	K Wire Length 375mm	K Wire Length 375mm - 1mm
70	S209	K Wire Length 375mm	K Wire Length 375mm - 1.6mm
71	S210	K Wire Length 375mm	K Wire Length 375mm - 1.8mm
72	S222	Polypropylene of Size 8-0 with Curved RB BV (175-6) 7.6mm Double Needle, Suture Length of 60cm	Polypropylene with Curved RB BV (175-6) 7.6mm Double Needle - 8/0 Minimum Length - 60cm
73	S223	Polyglecaprone Size 2-0 with 1/2 Circle Oval RB JB Needle 26mm Needle, Suture Length of 70cm	Polyglecaprone with 1/2 Circle Oval RB JB Needle 26mm Needle - 2/0 Minimum Length - 70cm
74	S224	Polydioxanone Size 1 with 1/2 Circle Reverse Cutting 40mm Orthopaedic surgery (OS) Needle Suture Length of 90cm	Polydioxanone 1/2 Circle Reverse Cutting 40mm Orthopaedic Surgery (OS) Needle - 1 Minimum Length - 90cm
75	S225	Synthetic Absorbable Suture of Size 4-0 with 3/8 Circle Cutting 16mm Needle, Suture Length of 45cm	Synthetic Absorbable Suture with 3/8 Circle Cutting 16mm Needle - 4/0 Minimum Length - 45cm
76	S226	Polyglecaprone Size 3-0 1/2 Circle Oval RB 26mm Contrast Needle suture length 70cm	Polyglecaprone 1/2 Circle Oval RB 26mm Contrast Needle - 3/0 Minimum Length - 70cm
77	S227	Polybutylate Coated with Polyester Braided (Green) Size 2/0 with 1/2 Circle Tapercut V-5 17mm Double armed Needle, Suture Length of 90cm with pledgets Size 6 X 3 X 1.5mm	Polybutylate Coated with Polyester Braided (Green) with 1/2 Circle Tapercut V-5 17mm Double Armed Needle, Suture Length 90cm with Pledgets Size 6 X 3 X 1.5mm - 2/0 Minimum Length - 90cm
78	S228	Polybutylate Coated with Polyester Braided (Green) Size 2-0 with 1/2 Circle Tapercut V-5 25mm Double armed Needle, Suture Length of 90cm with pledgets Size 6 X 3 X 1.5mm	Polybutylate Coated with Polyester Braided (Green) with 1/2 Circle Tapercut V-5 25mm Double Armed Needle, Suture Length 90cm with Pledgets Size 6 X 3 X 1.5mm - 2/0 Minimum Length - 90cm
79	S229	Coated Polyester Braided (Green) Size 3/0 with 1/2 Circle Round Body Double Needle 25mm Suture Length 75cm	Coated Polyester Braided (Green) with 1/2 Circle Round Body Double Needle 25mm - 3/0 Minimum Length - 75cm

<b>Sl. No</b>	<b>Code No.</b>	<b>Name of the Product and Specification</b>	<b>Change Effected</b>
80	S230	Polypropylene of Size 4-0 with 1/2 Circle CC 13mm Double Needle, (Identical gauge Needle and Suture), Suture Length of 75cm	Polypropylene with 1/2 Circle CC 13mm Double Needle (Identical Gauge Needle and Suture) - 4/0 Minimum Length - 75cm
81	S231	Polypropylene of Size 5-0 with 1/2 Circle CC 13mm Double Needle, (Identical gauge Needle and Suture), Suture Length of 60cm	Polypropylene with 1/2 Circle CC 13mm Double Needle (Identical Gauge Needle and Suture) - 5/0 Minimum Length - 60cm
82	S232	Synthetic Absorbable Suture of Size 5-0 with curved Reverse Cutting 12mm Needle, Suture Length of 45cm	Synthetic Absorbable Suture with Curved Reverse Cutting 12mm Needle - 5/0 Minimum Length - 45cm
83	S233	Synthetic Absorbable Suture of Size 5-0 with 3/8 Circle Cutting 16mm Needle, Suture Length of 45cm	Synthetic Absorbable Suture with 3/8 Circle Cutting 16mm Needle - 5/0 Minimum Length - 45cm
84	S234	Polyglecaprone of Size 3-0 with 3/8 Circle Cutting 25mm Needle, Suture Length of 70cm	Polyglecaprone with 3/8 Circle Cutting 25mm Needle - 3/0 Minimum Length - 70cm
85	S235	Polyglecaprone of Size 5-0 with Curved Reverse Cutting 16mm Needle, Suture Length of 45cm	Polyglecaprone with Curved Reverse Cutting 16mm Needle - 5/0 Minimum Length - 45cm
86	S236	Polyglecaprone of Size 4-0 with 3/8 Circle Reverse Cutting 16mm Needle, Suture Length of 70cm	Polyglecaprone with 3/8 Circle Reverse Cutting 16mm Needle - 4/0 Minimum Length - 70cm
87	S237	Polydioxanone Size 6-0 3/8 Circle RB 11mm Length 45cm	Polydioxanone 3/8 Circle RB 11mm - 6/0 Minimum Length - 45cm
88	S238	Polypropylene Size 2-0 1/2 Circle Tapercut Double Needle 17mm Suture Length of 90cm	Polypropylene 1/2 Circle Tapercut Double Needle 17mm - 2/0 Minimum Length - 90cm
89	S239	Polypropylene size 2-0 1/2 Circle Tapercut 25mm Suture Length of 90cm	Polypropylene 1/2 Circle Tapercut 25mm - 2/0 Minimum Length - 90cm

<b>Sl. No</b>	<b>Code No.</b>	<b>Name of the Product and Specification</b>	<b>Change Effected</b>
90	S240	Polypropylene Size 3-0 1/2 Circle CC Double Needle 16 mm Suture Length of 90cm	Polypropylene 1/2 Circle CC Double Needle 16mm - 3/0 Minimum Length - 90cm
91	S241	Polypropylene size 3-0 1/2 Circle Tapercut Double Needle 25mm Suture Length of 90cm	Polypropylene 1/2 Circle Tapercut Double Needle 25mm - 3/0 Minimum Length - 90cm
92	S242	Polydioxanone Suture size 2-0 1/2 Circle Round Body 30mm Needle Suture Length 70cm	Polydioxanone Suture 1/2 Circle Round Body 30mm Needle - 2/0 Minimum Length - 70cm
93	S243	B.B Silk (3/8 circle Reverse cutting Needle 45mm) - 2/0	B.B Silk (3/8 Circle Reverse Cutting Needle 45mm) - 2/0 Minimum Length - 76cm
94	S244	Chromic (5/8 Circle TaperCut Needle 10mm) - 5/0	Chromic (5/8 Circle Tapercut Needle 10mm) - 5/0 Minimum Length - 30cm
95	S245	1/2 Circle CCS Cut Needle 48mm Stainless Steel - Size 5	1/2 Circle CCS Cut Needle 48mm Stainless Steel - 5 Minimum Length - 45cm x 4
96	S246	Polydioxanone (1/2 Circle RB Heavy 40mm) - Size 1	Polydioxanone (1/2 Circle RB Heavy 40mm) - 1 Minimum Length - 90cm
97	S247	Monofilament Polyamide with 1/2 circle reverse cutting micro point needle 10/0	Monofilament Polyamide with 1/2 Circle Reverse Cutting Micro Point Needle - 10/0 Minimum Length - 70cm
98	S248	Polypropylene straight size 8-0 RB BV Double Needle 7.6 mm of length 70 cm.	Polypropylene Straight RB BV Double Needle 7.6mm - 8/0 Minimum Length - 70cm
99	S253	Antibacterial Triclosan coated Polyglactin 910 size 1 with 1/2 circle round body 40mm, suture length 90cm	Antibacterial Triclosan Coated Polyglactine 910 with 1/2 Circle Round Body 40mm - 1 Minimum Length - 90cm
100	S254	Antibacterial Triclosan coated Polyglactin 910 size 1-0 with 1/2 circle round body 40mm, suture length 90cm	Antibacterial Triclosan Coated Polyglactine 910 with 1/2 Circle Round Body 40mm - 1/0 Minimum Length - 90cm

<b>Sl. No</b>	<b>Code No.</b>	<b>Name of the Product and Specification</b>	<b>Change Effected</b>
101	S255	Antibacterial Triclosan coated Polyglactin 910 size 2-0 with ½ circle round body 30mm, suture length 90cm	Antibacterial Triclosan Coated Polyglactine 910 with 1/2 Circle Round Body 30mm - 2/0 Minimum Length - 90cm
102	S256	Antibacterial Triclosan coated Polyglactin 910 size 3-0 with ½ circle round body 20mm, suture length 70cm	Antibacterial Triclosan Coated Polyglactine 910 with 1/2 Circle Round Body 20mm - 3/0 Minimum Length - 70cm
103	S257	Polyglactin 910 Rapide Single Armed, size 2/0, 1/2 circle Tapercut, 35mm, Length 90cm	Polyglactin 910 Rapid Single Armed 1/2 Circle Tapercut 35mm - 2/0 Minimum Length - 90cm
104	S258	Polyglactin 910 Rapide Double Armed, Size 2/0, 1/2 circle Round Body, 1/2 circle Reverse Cutting, 36mm, Length 140cm (1.4m)	Polyglactin 910 Rapid Double Armed 1/2 Circle Round Body 1/2 Circle Reverse Cutting 36mm - 2/0 Minimum Length - 140cm
105	S259	Antibacterial Triclosan coated Polyglecaprone 25, Size 3/0, 3/8 Circle Reverse Cutting 24mm, undyed, Length 70cm	Antibacterial Triclosan Coated Polyglecaprone 25, 3/8 Circle Reverse Cutting 24mm Undyed - 3/0 Minimum Length - 70cm

The other terms & conditions are unaltered.

**Sd/-  
Tender Inviting Authority**